




## V SERIES LINEAR CEILING





Material: aluminum  
 Surface treatment: powder coating or pre-painted  
 Thickness: 0.6-1.0mm  
 Color: RAL color and wooden grain colors are available for choice  
 Plain and perforated panels are optional



V2 typed strip ceiling



V1 typed strip ceiling



<p><b>V CARRIER</b>                  Material: steel                  Surface treatment: Powder coating                  Spec.: 36X20mm                  Length: 3000mm or on request.                  Thickness: 0.5mm</p>	<p><b>V CARRIER HOIST</b>                  Material: steel                  Surface treatment: galvanized steel                  Length: 106mm                  Thickness: 0.5 mm</p>	<p><b>38# MAIN CHANNEL</b>                  Material: steel                  Surface treatment: galvanized steel                  Spec.: 38x12mm                  Length: 3000mm or on request                  Thickness: 0.8mm</p>	<p><b>38# MAIN CHANNEL HOIST</b>                  Material: steel                  Surface treatment: galvanized steel                  Height: 95/105mm                  Thickness: 1.0mm</p>	
<p><b>BOLT</b>                  Material: steel                  Surface treatment: galvanized steel                  Length: 1000mm or 3000mm on request                  Thickness: 6/8mm</p>	<p><b>MAIN CHANNEL CONNECTOR</b>                  Material: steel                  Surface treatment: galvanized steel                  Height: 41/53mm                  Thickness: 1.0mm</p>	<p><b>U ANGLE</b>                  Material: Aluminum alloy                  Surface treatment: Powder coating                  Spec.: 16x38x16mm                  Length: 3000mm or on request                  Thickness: 0.6mm or on request</p>	<p><b>WINDPROOF L SHAPED WALL ANGLE</b>                  Material: Aluminum alloy                  Surface treatment: Powder coating                  Spec.: 25x25mm                  Length: 3000mm or on request                  Thickness: 0.6mm or on request</p>	<p><b>WINDPROOF W SHAPED WALL ANGLE</b>                  Material: Aluminum alloy                  Surface treatment: Powder coating                  Spec.: 24x11x1x24mm                  Length: 3000mm or on request                  Thickness: 0.6mm or on request</p>





## TR LOUVRE LINEAR CEILING

Material: aluminum  
 Surface treatment: powder coating or pre-painted  
 Thickness: 0.4-0.7mm  
 Color: RAL color and wooden grain colors are available for choice  
 Plain and perforated panels are optional




TR LOUVRE LINEAR CEILING unit:mm


Item No.	Width	Height	Thickness	illustration
TR85	85	15	0.40-0.70	



Section view



Section view



TR louvre linear ceiling carrier installation drawing

Structure and installation for TR linear ceiling

<p><b>TR CARRIER</b>                      Material: steel                      Surface treatment: Powder coating                      Spec.: 85mm                      Length: 3000mm or on request                      Thickness: 0.7mm</p>	<p><b>38# MAIN CHANNEL HOIST</b>                      Material: steel                      Surface treatment: galvanized steel                      Height: 95/105mm                      Thickness: 1.0mm</p>	<p><b>TR CARRIER HOIST</b>                      Material: steel                      Surface treatment: galvanized steel                      Length: 22mm                      Thickness: 0.5 mm</p>	<p><b>38# MAIN CHANNEL</b>                      Material: steel                      Surface treatment: galvanized steel                      Spec.: 38x12mm                      Length: 3000mm or on request                      Thickness: 0.8mm</p>	
<p><b>BOLT</b>                      Material: steel                      Surface treatment: galvanized steel                      Length: 1000mm or 3000mm on request                      Thickness: 6/8mm</p>	<p><b>MAIN CHANNEL CONNECTOR</b>                      Material: steel                      Surface treatment: galvanized steel                      Height: 41/53mm                      Thickness: 1.0mm</p>	<p><b>U ANGLE</b>                      Material: Aluminum alloy                      Surface treatment: Powder coating                      Spec.: 16x38x16mm                      Length: 3000mm or on request                      Thickness: 0.6mm or on request</p>	<p><b>WINDPROOF L SHAPED WALL ANGLE</b>                      Material: Aluminum alloy                      Surface treatment: Powder coating                      Spec.: 25x25mm                      Length: 3000mm or on request                      Thickness: 0.6mm or on request</p>	<p><b>WINDPROOF W SHAPED WALL ANGLE</b>                      Material: Aluminum alloy                      Surface treatment: Powder coating                      Spec.: 24x11x12x24mm                      Length: 3000mm or on request                      Thickness: 0.6mm or on request</p>

## R SERIES LINEAR CEILING

Material: aluminum

Surface treatment: powder coating or pre-painted

Thickness: 0.4-0.7mm


Color: RAL color and wooden grain colors are available for choice

Plain and perforated panels are optional, for perforated panels with black felt, sound absorption



## R SERIES LINEAR CEILING

unit:mm

Item No.	Width	Height	Thickness	illustration
TR85/135/185	85/135/185	15	0.40-0.70	
TR85/135/185+15	85/135/185	15	0.40-0.70	



cross view of panel



## Installation illustration of R series linear ceiling

<p><b>R CARRIER</b> Material: steel Surface treatment: Powder coating Spec.: 36X20mm Length: 3000mm or on request. Thickness: 0.5mm</p>	<p><b>R CARRIER HOIST</b> Material: steel Surface treatment: galvanized steel Length: 95/105mm Thickness: 1.0 mm</p>	<p><b>38# MAIN CHANNEL</b> Material: steel Surface treatment: galvanized steel Spec.: 38x12mm Length: 3000mm or on request Thickness: 0.8mm</p>	<p><b>38# MAIN CHANNEL HOIST</b> Material: steel Surface treatment: galvanized steel Height: 95/105mm Thickness: 1.0mm</p>
<p><b>BOLT</b> Material: steel Surface treatment: galvanized steel Length: 1000mm or 3000mm on request Thickness: 6/8mm</p>	<p><b>MAIN CHANNEL CONNECTOR</b> Material: steel Surface treatment: galvanized steel Height: 41/53mm Thickness: 1.0mm</p>	<p><b>U ANGLE</b> Material: Aluminum alloy Surface treatment: Powder coating Spec.: 16x38x16mm Length: 3000mm or on request Thickness: 0.6mm or on request</p>	<p><b>WINDPROOF L SHAPED WALL ANGLE</b> Material: Aluminum alloy Surface treatment: Powder coating Spec.: 25x25mm Length: 3000mm or on request Thickness: 0.6mm or on request</p>
<p><b>WINDPROOF W SHAPED WALL ANGLE</b> Material: Aluminum alloy Surface treatment: Powder coating Spec.: 24x11x1x24mm Length: 3000mm or on request Thickness: 0.6mm or on request</p>			

